

# **K** Projects



+961 3737 759



### **PVC Traffic Cone**















#### American and European Style for your options!

Black BaseTraffic Cones are made up of Fluorescence Orange PVC Cone Body and Recycle PVC Black Base. The two parts interlock as a single inseparable piece, and would not separate even Heavy truck run over them.




















### **Orange Base PVC Traffic Cone**









#### American and European Style for your options!

- Single Piece Made of Fluorescence Orange PVC
- Environmentally friendly-100% recyclable
- Extreme durability&superior flexibility













HEIGHT	300MM	450MM	500MM	710MM	750MM	910MM
BASE WIDTH	220MM	270MM	280MM	360MM	400MM	360MM
WEIGHT OPTIONS	0.7Kg	1.1Kg	1.2Kg	2.0Kg 2.3Kg 2.8Kg	2.0Kg 4.0Kg 5.0Kg	3.5Kg 3.8Kg 4.2Kg





### **PVC Traffic Cone**













#### American and European Style for Your Options!

Flowing BaseTraffic Cones are made up of Fluorescence Orange PVC Cone Body and Recycle PVC Black Base Inside. The two parts interlock as a single inseparable piece, and would not separate even Heavy truck run over them. Also, High-density base creates low center of gravity for maxi-mum stability.

- Flowing Locking Design for Hiding the base INSIDE
- Fluorescence Orange with 2 years warranty
- The Same Outline As Solid Orange Cone
- Meet American MUTCD standard

HEIGHT	300MM	450MM	710MM	910MM
BASE WIDTH	220MM	270MM	360MM	360MM
WEIGHT OPTIONS	1.0 <b>K</b> g	1.4Kg	3.1Kg 4.5Kg	4.5Kg 5.5Kg



#### 3 Version Different Base For your Options

VERSION	MATERIALS	PRODUCTION PROCESS	WEIGHT	CENTER OF GRAVITY	PRICE
BLACK BASE	Recycle Base Vigin Body	Base and Body Thermal Interloking	Heavy	In the Base	Low
SOLID ORANGE	All Vrigin	One-Piece Construction	Light	In the Body	High
FLOWING BASE	Recycle Inner Vigin Outer Layer	Inner and Outer Layer Thermal Interloking	Heavy	In the Base	Medium





#### **PE Traffic Cone**











#### American and European Style for your options!

Blowing Traffic cone, made of PE material and Rubber black base with different height and weight, there are 45cm, 50cm, 70cm, 75cm, 90cm and 100cm for your choice. Base and cone can be locked together with special design, can be packed separately.

- Can be made of different colors and height, weight for your choice.
- Interlocking design for cone and base, easy to install and shipping.
- Can be fix the LED light on top of the cone.
- More competetive price with good quality.









HEIGHT	450MM	500MM	710MM	750MM	910MM	1000MM
BASE WIDTH	270MM	280MM	360MM	400MM	360MM	500MM
WEIGHT OPTIONS	1.5Kg	2.5Kg	3.1Kg 4.2Kg	2.5Kg 4.2Kg 4.7Kg 5.7Kg	3.3Kg 4.3Kg	4.3Kg 5.0Kg 6.0Kg



# Collapsible Cone





#### Light Orange and Heavy Black Base for your options!

Collapsible traffic cones are highly visible during the day, even more so at night since they are illuminated from the inside by a battery powered LED light. It could be collapsed so take up very little room in a vehicle when not in use.



**Bottom LED Light** 



Handle Bags for Easy Carry



LED Light Pre-Installed in Bottom



Top LED Light Stored in Base

MODEL NO	DH-RTC-50	DH-RTC-70	DH-RTC-90	DH-RRC-50	DH-RRC-70
HEIGHT	500MM	700MM	900MM	550MM	720MM
BASE WIDTH	250MM	310MM	440MM	300MM	360MM
BASE HEIGHT	36MM	50MM	60MM	50MM	50MM
TOTAL WEIGHT	0.65Kg	1.1Kg	2.0Kg	2.6Kg	3.2Kg
LED LIGHT		Separate		Pre-I	nstalled
	HEIGHT BASE WIDTH BASE HEIGHT TOTAL WEIGHT	HEIGHT 500MM  BASE WIDTH 250MM  BASE HEIGHT 36MM  TOTAL WEIGHT 0.65Kg	HEIGHT 500MM 700MM  BASE WIDTH 250MM 310MM  BASE HEIGHT 36MM 50MM  TOTAL WEIGHT 0.65Kg 1.1Kg	HEIGHT         500MM         700MM         900MM           BASE WIDTH         250MM         310MM         440MM           BASE HEIGHT         36MM         50MM         60MM           TOTAL WEIGHT         0.65Kg         1.1Kg         2.0Kg	HEIGHT         500MM         700MM         900MM         550MM           BASE WIDTH         250MM         310MM         440MM         300MM           BASE HEIGHT         36MM         50MM         60MM         50MM           TOTAL WEIGHT         0.65Kg         1.1Kg         2.0Kg         2.6Kg





#### **Print Warning Message or Advertisement**

Light weight, versatile sign are excellent for effective safety communication with employees or customers. Anyother Text could be custom-made.

MODEL NO	STYPE	WIDTH	HEIGHT	WEIGHT	BODY COLOR	PRINTING COLOR
DH-FS-1	A-Frame	300MM	620MM	0.6Kg	Yellow	Black/Red
DH-FS-2	Square Cone	280MM	670MM	1.1Kg	Yellow	Black/ Red
DH-PE-4	Square Cone	400MM	700MM	2Kg	Black	Yellow /Red
DH-FS-SIGN	Top Sign	260MM	260MM	0.2Kg	Red	Yellow/Black



### **Retractable Cone Topper**










#### 3M and 9M Length for Your Options I

This retractable cone top safety barrier saves you both space and cones. The cone topper extends out to 9m with a 50mm width striped safety band. It features four sided connections for cordoning off a restricted area or building a temporary barrier.













This retractable T-Top Topper is designed to connect with T-Top Delineator Post, it could be extent out to 9m with a 50mm width striped safety band. It features four sided connections for cordoning off a restricted area or building a temporary barrier.

MODELNO	BAND LENGTH	BAND COLOR	SHELL HEIGHT	SHELL COLOR	BAND BRAKE SYSTEM
DH-TOP-1	3.0Meter	Yellow/Black/Red/White			NO
DH-TOP-2	9.0Meter	Yellow/Black/Red/White	250MM	Orange/Yellow	Included
DH-TOP-3	9.0Meter	Yellow/Black/Red/White			Included



#### **Traffic Cone Bar & Chain**











#### 3M and 9M Length for your options!

- Black/yellow or White/Orange stripes for visual intensity.
- Retractable from 1150MM to 2500MM.
- Used in combination with the traffic cones, these cone bars from a emporary barrier.
- Controlling crowds and warning of road hazards and directing the traffic.

MODEL NO	MAX LENGTH	MIN LENGTH	POLE DIAMETER	RING DIAMETER	COLOR
DH-TCB-1R	2500MM	1300MM	35MM	105MM	White/Red/Orange
DH-TCB-1Y	2500MM	1300MM	35MM	105MM	Yellow/Black
DH-TCC-1R	2000MM	No	20MM	105MM	White/Red

### Assemble Cone Sign

#### Assemble Cone / Post Signs

The assemble signs are used to guide traffic or to provide warning of approaching hazards. You can use the signs in any situation where you put the warning sign Sticker simply and safely by warning on the boards.

MODEL NO	DH-Sign-A1-L1	DH-Sign-A4-L2
Туре	Round Board	Square A4 Board
Sign Dimension	20CM Diameter	210mm×297mm
Weight	0.45Kg	0.45Kg
Available Color	Orange	Orange / White






# **Assembling TPU Fleixble Post** RESISTANT PLASTIC 3 Different Style Bases 3 Separate Lock Parts for your Options With Max Strength

- High Impact Resistance and returns to vertical after impact.
- Composed of TPU flexible post, interlock, and 3 Types in round, square and rectangular.
- Four cat eyes in the rectangular base improve the visibility in night time.
- Save 50% Freight Than Traditional Single-Piece Post.







### Single Piece TPU Fleixble Post





- Made Of Durable TPU Materials with fluorescence Orange
- Thread Design in the Bottom Increase the Resilience.
- Recessed Design of Reflective Tape Area.
- Applicable to Hot and Cold Environment.







Thread Design for Longest Life

MODEL NO	HEIGHT	BASE WIDTH	POST DIAMETER	WEIGHT	BEARING WEIGHT
DH-FP-45	450MM	200MM	100MM	0.8kg	10,000kg
DH-FP-80	750MM	ZOUMIN	TOUNIM	1.3kg	10,000kg



## Bicycle lane delineator















- Reboundable from any direction.
  Round Bollard provides 360 degrees of reflectivity.
- Made of durable polypropylene for flexibility and strength.



**Design for Best Elasticity** 

MODEL NO	SANDARD HEIGHT	BOLLAR DIAMETER	BASE WIDTH	REFLEX TAPE	BEARING CAPACITY
DH-RP-90	900MM			3x50MM HI Tape	
DH-RP-105	1050MM	70MM / 50MM	200MM	3x50MM HI Tape	5 Tons Weight at 100km/h Speed
DH-RP-120	1200MM			4x50MM HI Tape	



### **Assemble Post Sign**










#### Assemble Cone / Post Signs

The assemble signs are used to guide traffic or to provide warning of approaching hazards. You can use the signs in any situation where you put the warning sign Sticker simply and safely by warning on the boards.

MODEL NO	DH-SIGN-A1-L1	DH-SIGN-A4-L2
TYPE	Round Board	Square A4 Board
SIGN DIMENSION	200MM Diameter	210MM×297MM
WEIGHT	0.45Kg	0.45Kg
AVAILABLE COLOR	Orange	Orange / White



### **Chain Adaptor**

20MM Diameter Adaptor for Plastic Chain and Flexible Post.







### **EVA Flexible Bollard**











- The Super Flexible Bollard are made of Flexible EVA and designed for road separator & delineator.
- Molded the Scew and Washer in the base together for easily installation.
- High Impact Resistance and returns to vertical every time after impact.
- Top recessed Handle Design for easy spin and fix into the ground.




Screw and Washer Molded Inside



Recessed Handle Topper



Available in White, Green, Yellow, Bulue, Red







MODELNO	HEIGHT	BASE WIDTH	POST DIAMETER	REFLEX	TOTAL WEIGHT
DH-FB-75N	750MM	200MM	200MM	2x100MM	1.8kg



### **Expansible Lane Separator System**



SpringBack Panel


PU Flexible Post

The Lane Separators Base is manufactured from recycled Rubber, perform a wide variety of uses in traffic management. They can be used to indicate lane separation, cycle lanes, parking bay indication, tramways, marking of traffic lanes in carpark entrance and exit ramps etc.

RUBE		RUBB	ER BASE			RECOVERY SYSTEM			DEELEV
MODEL NO	LENGTH	LENGTH WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	REFLEX
DH-TS-1MTLP					HDPE Post	900MM or More	¢75MM	1 Kg	3 x 50MM Stripes
DH-TS-1MTLFB1	40000444	0751414	orum.	MM 14kg	ABS Panel	750MM	150MM	0.8 Kg	500x130MM HIP Stripes
DH-TS-12M[75P]	1000MM	0MM 275MM	M 275MM 85MM		TPU Post	750MM	¢80MM	0.8 Kg	3 x 50MM Stripes
DH-TS-12M[100P]					TPU Post	1000MM	¢80MM	1 Kg	4x 50MM Stripes



## Individual Lane Separator System




#### A Most Easy Way Solution to Separate Lanes!

- Can be quickly and easily put in position without tools;
- No collection of water as Channel designed in the bottom;
- 3 Different SpringBack Post & Panel for your options;
- Outstanding road grip by the skid-resistant Rubber Base;
- To be removed from the traffic lane without traces;



### **Quick Chain Curb**









Chain Separator Curb is deisgned for different shape Curb System, Round, Rectangle, Triangle and any Irregular shape.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-TS-10	400MM	145MM	170MM	7.5kg

**Lane Divider** 

Use lane dividers to separate traffic on a two-lane road.

Manufactured from a durable polyurethane compound, It could be returned to its original position after multiple vehicle impacts from any direction.












MODEL NO	HEIGHT	BASE SIZE	MATERIALS	WEIGHT	BEARING WEIGHT
DH-302	300MM	220 x150MM	Polyurethane	1.5kg	20Tons Truck









Rubber Lane Rumble is the Quick and Easy way to Create a Centre Median or Separate lanes to ensure motorists comply with the Intended Tavel Way.

MODEL NO	UNIT LENGTH	UNIT WIDTH	UNIT HEIGHT	UNIT WEIGHT	COLOR
DH-TS-11[Y]					Yellow
DH-TS-11[R]	1000MM	150MM	50MM	7.0kg	Red
DH-TS-11[B]					Black

### **Zebra Lane Separator**





#### 3 Height for your options I

- Made of durable rubber material to keep long life span;
- Three Pre-molded bolt holes for fixing into the ground;
- Six pieces of Beads tapes provide high visibility at night;
- Hump shape indicate car and bike back to their lane;
- 5, 9 and 12CM Height For your Options.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-TS-14	720MM	120MM	50MM	2.5kg
DH-TS-15	765MM	165MM	90MM	4.2kg
DH-TS-16	820MM	200MM	120MM	10kg






Male And Female Connector

TPU speed humps are made of durable TPU materials that have all the benefits of the stationary speed humps, but can be dismantled part by part and installed by regular screws; Perfect for calming traffic by the anti-slip pattern design. The speed humps weigh less than 2kg each piece, and are easily hadled by one person.

MODEL NO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE WIDTH	REFLEX CAT-EYE	END LENGTH
DH-PSP-3	500MM	300MM	40MM	4PCS x ¢10MM	135MM
DH-PSP-4	500MM	350MM	50MM	4PCSx ¢10MM	135MM



# Speed Hump Yellow EPDM Rubber Embedded



Now most speed humps are glued Yellow Reflective Tape, normally the reflective tape would be only last 1-2 years maximum service life. But Eastsea Rubber embed the yellow EPDM rubber into speed hump through a special process, the yellow rubber will not be fade, fallen, crack under any conditions and environment. Further Eastsea Rubber provide 5 years quality assurance for all [Yellow EPDM Rubber Embedded] Speed Humps.

Molded Yellow Rubber Plece for longer service life!





MODELNO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	YELLOW EPDM STRIPE	END LENGTH
DH-SP-12		900MM	50MM	4PCS x 250MM Width	
DH-SP-14	0001414	1100MM	75MM	6PCS x 250MM Width	2001414
DH-SP-21	900MM	600MM	32MM	8PCS x 100MM Width	200MM
DH-SP-22		900MM	50MM	6PCS x 250MM Width	
DH-SP-26	1830MM	300MM		5PCS x 120MM Width	
DH-SP-28	900MM		50MM	3PCS x 120MM Width	190MM
DH-SP-29	1200MM			4PCS x 120MM Width	



# Speed Hump Yellow Bead Reflective Tape Bonded








DH-SP-11







DH-SP-2

DH-SP-16

#### Bead tapes provide High visibility to driver in the day & night!

These Speed Hump are bonded with yellow bead reflective tape fPreformed thermoplastic pavement markings by Super glue. The bead tapes provide High visibility to driver in the day & night.

MODELNO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	YELLOW STRIPE	END LENGTH
DH-SP-1	500MM	600MM	32MM	8PCS x 100MM Width	200MM
DH-SP-2	500MM	900MM	50MM	6PCS x 250MM Width	250MM
DH-SP-6	1830MM	300MM	50MM	5PCS x 120MM Width	190MM
DH-SP-11	500MM	500MM	50MM	4PCS x 100MM Width	250MM
DH-SP-16	500MM	900MM	50MM	8PCS x 100MM Width	250MM
DH-SP-24	500MM	350MM	50MM	6PCS x 100MM Width	250MM

DH-SP-24

### Steel Reinforced Speed Hump

Designed for the Extremely Heavy Traffic Application.

The Steel Plate Increase The Weight Capatity from 20Tons to 60Tons!





MODEL NO	MIDDLE LENGTH	WIDTH	HEIGHT	REFLEX CAT-EYE	END LENGTH
DH-216S	1000MM	450MM	60MM	8PCS x Ф10ММ	250MM



# Arrow Speed Hump Yellow EPDM Coated&Bead Tape Bonded



#### High Visibility Yellow Rubber and Bead Reflector.

The Arrow Speed Humps are designed for heavy traffic roads in High-Class Markets. The wide bojiyellow rubber section and white allow reflector provide maximal visibility to driver in the day & night. Further More, the wide body speed hump help the car/ truck run over the speed hump line smoothly without severe shock.

MODELNO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	REFLEX ARROW TAPE	END LENGTH	
DH-SP-5		1000MM	701414	1PCS x 200MM Width		
DH-SP-8	FOOLIN	550MM	75MM	1PCS x 200MM Width	0501114	
DH-SP-25	500MM	400104	50MM	2PCS x 200MM Width	250MM	
DH-SP-27		400MM	75MM	2PCS x 200MM Width		





All of these series Speed Hump are made from durable recycle tire rubber with Yellow EPDM coating. The yellow/black rubber will not be fade, fallen, crack under any conditions and environment. Eastsea Rubber provide 2-year quality assurance for all Yellow EPDM Rubber Coated Speed Humps.

MODELNO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	REFLEX CAT-EYE	END LENGTH
DH-SP-9	500MM	400MM	40MM	2PCS x 70MM Width	
DH-SP-10	300MM	500MM	50MM	2PCS x 70MM Width	
DH-209	1000MM	350MM	50MM	8PCS x ¢MM	OF ONLY
DH-215	500MM	350MM	50MM	4PCS x ¢MM	250MM
DH-216S	1000MM	450MM	60MM	8PCS x ¢MM	
DH-217	250MM	350MM	50MM	4PCS x ¢MM	



# Portable Speed Bump



MODEL NO	MAX LENGTH	FOLD LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIALS	BAG SIZE	BEARING CAPACITY
DH-PSP-1	3Meter	360MM	250MM	25MM	12kg	TPU	360x250x310MM	20Tone
DH-NCCR-1	3Meter	500MM	300MM	40MM	16kg	TPU	500x400x300MM	20Tone
DH-NCCR-2	3Meter	500MM	350MM	50MM	18kg	TPU	500x500x350MM	20Tone





Eastsea Portable Speed Bumps are made from durable PU materials that have all the benefits of stationary Speed Bump, but can be folded up and moved from location to location in seconds. Perfect for calming traffic during certain hours of the day, such as immediately before and after school, Eastsea portable, foldable Speed Bump weigh less than 12kg and are easily handled by one person.




### **Portable Speed Hump**



#### Anti-Slip Mat In the Back

The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr. The secret behind the success of the system is its unique 'waffle-style' rubber underlay, which maximises adhesion to the road surface as vehicles traverse...It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.





Fabric Reforced Rubber Pad

Steel Rod Connector with Max Strength

MODEL NO	MAX LENGTH	FOLD LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIALS	BAG SIZE	BEARING CAPACITY
DH-PSP-2	3000MM	540MM	250MM	50MM	13kg	PP	¢ 540MM x 250MM	10 Tone
















A durable and versatile Polyurethane rumble strip for use as a speed moderator or lane divider on roadways. Ideal in residential complexes to slow the flow of vehicles. Alternatively, it can be used as a wall mounted bump protector. Can be installed with appropriate masonry fixings or glued using a suitable adhesive.

MODELNO	LENGTH	WIDTH	HEIGHT	INSTALLATION
DH-RM-2	1200MM	250MM	25MM	4xM10 Screws
DH-SP-3	330MM	100MM	15MM	4xM6 Screws

### Rumble Bar



- High quality ABS material provides high loading capacity.
- Honeycomb bottom also can be glued on the road surface, faster than fixing bolts of screws.
- Anti slip surface ensure the wheel will not slip when run over it.
- 4 screw holes ensure it can be stayed at road surface as long as it can be.
- Double sides glass reflector provides high visibility from two directions during the night.

MODELNO	LENGTH	WIDTH	HEIGHT	REFLECTOR	INSTALLATION
DH-NRS-2	220MM	120MM	25MM	6PCS Cat-Eye Each Side	4xM6 Screws
DH-NRS-3	300MM	170MM	50MM	6PCS Cat-Eye Each Side	4xM10 Screws



The tire killer is often used in some strict traffic control area, where need to be blocked and controlled the vehicle enter or exit. Such as government location, police station, military base and some important parking areas.

- Rubber Tire Killer is Available Now!
- Yellow EPDM Rubber Moled with Logest Life;
- Molded Steel Plate Inner with Max Strength!
- Glass Bead Provide max visibility at Night;


MODEL NO	PART	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-SP-TK-1M	Middle	1000MM	385MM	50MM	21Kg
DH-SP-TK-1EM	Male End Cap	270MM	385MM	50MM	1.6Kg
DH-SP-TK-2M	Middle	500MM	400MM	75MM	18Kg
DH-SP-TK-2E	End	200MM	400MM	75MM	5Kg



# **Rubber Speed Cushion**







France Style with Arrow Shape Reflector

Belgium Style with White Rubber Frame









Installation Accessories

Wooden Case Packages

Rubber Speed Cushions are made of recycled rubber tires. Rubber is lighter and easier to work with than asphalt and concrete, significantly minimizing the number of hours that need to be invested to install the solutions. Embedded reflective material increases visibility and safety, day or night.





Anti Skidding Design

Friction Coefficient > 0.45

MODEL NO	STANDARD	TOTALLENGTH	TOTALWIDTH	HEIGHT	TOTAL WEIGHT	PART	DIMENSION	WEIGHT
DH-SP-4	France					Left End	1000x900x65MM	50kg
DH-SP-4G	Belgium	300MM	180MM	65MM	300Kg	Middle	1000x900x65MM	50kg
DH-SP-4U	UK					Right End	1000x900x65MM	50kg



# Rubber Pedestrian Crossing



- The upper surface has particular skidproof surface raised stud.
- Fixed to the ground by expansion screws and Bone Connector.
- The particular size of the modular parts can be used in all road size.
- High-Intensity Reflective Pedestrian Crossing Sign Better Night Visibility.

STANDARD MODEL	LENGTH	WIDTH	HEIGHT	PARTS	ACCESSORIES	
DH-PC[6X3]	6.0Meter	3.0Meter		20 x Black Middle 20 x White Middle 28 x End Cap 4 x Corner Piece	126x"I" Connector 284x Screws Caps	
DH-PC[7X4]	7.0Meter	4.0Meter	75MM	36 x Black Middle 36 x White Middle 36 x End Cap 36 x Corner Piece	202x*I* Connector 444x Screws Caps	





MODEL NO	HEIGHT	PANEL WIDTH	PANEL WEIGHT	PANEL MATERIALS	BASE WIDTH	BASE WEIGHT	MATERIALS
DH-VB-1	1150MM	250MM	2.0 Kg	HDPE	570x460MM	9.0 Kg	
DH-VB-2			2.0 Kg	HDPE	800x400MM	20.0 Kg	
DH-VB-3			2.0 Kg	PP	670x380MM	14.0 Kg	
DH-VB-4			2.0 Kg	PVC	540x470MM	12.0 Kg	Recycle Rubber
DH-VB-5	1150MM	250MM	2.0 Kg	HDPE	800x400MM	20.0 Kg	
DH-VB-6	1320MM	290MM	2.5 Kg	HDPE	800x400MM	20.0 Kg	


Use reflective Delineator Panels to mark the edges of roads and driveways and choose Engineer Grade reflective aluminum for standard 500' visibility or High Intensity reflective aluminum for 1000' visibility and added safety. The manifold anti-slide system on the bottom of each unit ensures an excellent laying stability on the road surface. It can be easily exchanged after abrasion.





#### **Delineator Post**

#### **Delineator Cone**

### Caution Tape Delineator Post







- Convenient T-top carry handle and molded in bolt hole for flashing light;
- Stronger ribs provide maximum band protection.

Improved recesses create a deeper area for reflective bands;

MODEL NO	HEIGHT	BOLLARD DIA	BOLLARD WEIGHT	BOLLARD MATERIALS	BASE WIDTH	BASE WEIGHT	BASE MATERIALS	REFLEX HEIGHT
DH-GC-1		100MM	0.75kg			6.0kg		2x10CM HI Tape
DH-GC-1B	1150MM	100MM	0.75kg		400MM	8.0kg	Recycle	1x25CM HI Tape
DH-GC-2		200MM	1.20kg	LDPE 8.0kg	8.0kg	Rubber		
DH-GC-13	1300MM	80MM	0.7kg		350MM	6.0kg		3x5CM HI Tape



# Collapsible Delineator Panel

- Top section made of Injection high impact plastic (PP)
- Carrying handles at base and panel
- Recessed sheeting panel
- Sturdy body; no bending in strong winds
- Base with anti-skid system





MODEL NO		RUBBER BASE					RECOVERY SYSTEM				
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	REFLEX		
DH-TS-5CB1	350MM	320MM	100MM	5kg	Panel	750MM	150MM	0.8 Kg	500x130MM HIP Tape		
DH-TS-4CB2	600MM	320MM	100MM	12kg	Panel	910MM	250MM	1.0 Kg	750x250MM HIP Tape		

## **Spring Back Delineator Panel**

- Made Up of Rubber Base, TPU SpringBack Foot Collapsible Hinge System and ABS Delineator Panel!
- Double Side High Intensity High Intensity Prismatic Tape I
- Handle Hole Design for Easy Move for Temporary Application.
- The ABS Delineator Panel could be Assembled without specific Handware.





MODEL NO	RUBBER BASE					RECOVE	DEEL EV		
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	REFLEX
DH-TS-5LFB1	350MM	320MM	100MM	5kg	Panel	750MM	150MM	0.8 Kg	500x130MM HIP Tape
DH-TS-4LFB2	600MM	320MM	100MM	12kg	Panel	910MM	250MM	1.0 Kg	750x250MM HIP Tape



#### **Board Barrier**




The Barrier board system is ideal for construction sites and outdoor applications where a tough and durable barrier system is required. The ABS plastic board is supported by powdercoated steel or injection legs.

MODEL NO	TOTAL HEIGHT	TOTAL LENGTH	BOARD WEIGHT	BOARD MATERIALS	BASE WIDTH	BASE WEIGHT	MATERIALS	KEFLECTOR
DH-BB-1	1000MM 2500MM		0.51/-		5001414	5.0Kg	Steel	Double Side 15cm Width Engineer Grade
DH-BB-3		2.5Kg	ABS	500MM	4.0Kg	Plastic	or High-Intensity Tape	



# **Expandable Barrier**



Made of Durable Injection PP, this easy to handle barrier is an ideal safety or traffic control unit. It is durable, maintenance free, temperature resistant, and will not damage or scratch floors. This barricade can link together with other like units for additional security. Some minor assembly is required.

MODEL NO	TOTAL HEIGHT	CLOSED LENGTH	OPEN LENGTH	BASE WIDTH	WEIGHT	COLOR	MATERIALS	REFLEX	WHEEL
DH-EB-1	950MM	450MM	3.5Meter	420MM	7.0Kg	Yellow Black	Injection PP	No	4Pcs x ¢5CM
DH-EB-2	1050MM	220MM	2.3Meter	475MM	7.0Kg	Red Only	Blowing HDPE	White Stripes	No



#### **Plastic Fence Barrier**






360 Degree Rotate 2Kg Base



Extra Heavy Base 12Kg Base



22Kg ADA Compliance Havey Base



Male Connector



**Female Connector** 



Pre-Molded Holes For Signature

- Excellent design for outdoor events, such as Sport events&festival, etc.
- Light weight makes it easy to handle. Special shoe design prevent walkers from tripping.
- Various Color for Customer Choice, also can be customer made. Hi Intensity Reflective tape provides high visibility at night.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIAL	
DH-PFB-4	2000MM	400MM	1000MM	13.0Kg	HDPE	
DH-PFB-5	1100MM	400MM	1000MM	8.0Kg	HDPE	
DH-PFB-6	1100MM	200MM	1000MM	30.0Kg	HDPE	



### **Manhole Barrier**

Manhole barrier is one of Eastsea Rubber new design products, it is designed and used in all kinds of construction areas, such as road maintenance, and block warning, etc.

- The Various color for customer choice, Orange, Yellow, Blue and Green;
- Made of durable HDPE materials keep appearance stable and flawless;
- HI intensity reflective tape provide clear visibility at night;

#### 3 Style Base for your options - Wheel Base, High Legs and Extra Heavy Base









Special connectors can be turned 360 degrees



Square Area For warning signs or advertisement



Foldabled and Rotatable to be other Shape




## **Assemble Fabric Fence Barrier**







Connector Between Fabric and Bollard Rotating Lock





Easy to carry when disassembly

Delineator Post with special design on the Bollard, can be fixed warning sign, advertising banner and plastic barrier board. also can be a work gate, assemble them together with the length you want.

MODEL NO	BOLLARD HEIGHT	BOLLAED WEIGHT	BOARD LENGTH	BOARD WEIGHT	BOARD MATERIALS	BOARD DESIGN	BASE WIDTH	BASE WEIGHT	BASE MATERIALS
DH-DP-BB-1	1150MM	1Kg	2600MM	3.0Kg	PVC	Reflex Strip	400MM	9Kg	Recycle Rubber
DH-DP-BB-2	TISOMIN	1Kg	1100MM	1.0Kg	Fabric	Any Printing	TOOININ	9Kg	1100yolo 11ubber



## Stackable Water Filled Barrier



Top Hole for Fitting Barricade Light



Stakcable for Saving Space



Available in different Color



Whether the requirement is to redirect, separate or delineate traffic, protect pedestrians from moving vehicles or provide a high visibility presence, our range of water filled safety barriers will provide you with many years of service and protection.

MODEL NO	LENGTH	HEIGHT	TOP WIDTH	BOTTOMWIDTH	WEIGHT	WATER CAPACITY
DH-SWB-1	1100MM	600MM	100MM	360MM	6.0Kg	50Kg
DH-SWB-2	1100MM	8D0MM	100MM	550MM	8.0Kg	80Kg

## Regular Water Filled Barrier

MODEL NO	LENGTH	HEIGHT	TOP WIDTH	BOTTOM WIDTH	WEIGHT	WATER CAPACITY
DH-WB-5	1500MM	800MM	250MM	460MM	13Kg	250Kg
DH-WB-7	2000MM	650MM	150MM	450MM	17Kg	300Kg
DH-WB-8	1300MM	650MM	200MM	400MM	9.5Kg	200Kg





A6M58

## **Safety Drum**









12Kg Recycle Rubber Base

- Durable, blow perfect mould wiht excellent safety design.
- HDPE material makes it can stand and withstand high impact from other objects.
- High quality refective tape provides nice visibility at dark night.
- Top handle makes it easy to carry around. Both sides with holes for fixing warning light.

MODEL	HEIGHT	DIAMETER	WEIGHT	TAPE
DH-SWB-3	800MM	50MM	4Kg	20x100MM
DH-SWB-4	1050MM	55MM	16Kg	40x100MM
DH-SWB-8	87MM	50MM	6Kg	20x100MM

Two-Piece Design





Smart Design





# Road Edge Guide Post DH-DE-8 DH-DE-11 DH-DE-10 DH-DE-13

These Fully Flexible guideposts are designed to prevent maintenace requirements and put an end to the rising costs associated with maintenance on guideposts. They can be driven over hundreds of times and will return upright, unbreakable components are visible above the surface, making them almost impossible to damage.

MODEL NO	SHAPE	HEIGHT	WIDTH	REFLECTOR	WEIGHT
DH-DE-8	Triangle	1250MM	120MM	2PCS x 180x46MM	1.4Kg
DH-DE-9	C-Shape	1100MM	105MM	1PCS x 180x46MM	0.6Kg
DH-DE-10	C-Shape	1200MM	120MM	2PCS x 140x40MM	1.2Kg
DH-DE-11	Triangle	1500MM	115MM	2PCS x 140x40MM	1.1Kg
DH-DE-13	C-Shape	1000MM	95MM	1PCS x 350x40MM	0.8Kg



## FlexibleGuardrail Reflector



The Fleixble Style GuardRail Reflector is made up of Flexible TPU Boby and PMMA Reflector.It would be able to afford high-speed impact without damaging products and vehicles.

MODELNO	FRAME HEIGHT	FRAME WIDTH	REFLECTOR SIZE	BODY MATERIALS	REFLECTOR MATERIALS
DH-FGR-1	120MM	70MM	100x65MM	TPU	РММА
DH-FGR-2	135MM	90MM	100x76MM	TPU	PMMA
DH-FGR-3	150MM	100MM	80MM Dia	TPU	РММА

## **Steel Guardrail Reflector**















MODEL NO	DH-DE-1	DH-DE-2	DH-DE-3	DH-DE-4	DH-DE-5	DH-DE-6
SIZE	120x50x70MM	120x50x70MM	180x46x25MM	180x46x25MM	180x46x25MM	¢85MM
MATERIALS	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum




## **Reflective Road Stud**

The road stud widely used on road as a speed hump or a road direction guidance. Helping people or vehicals stay vigilant while at night.









**Cat-Eye Reflector** 

**PC Prismatic Reflector** 

43 Glass Beads Reflector

MODEL	LENGTH	WDITH	HEIGHT	REFLECTOR	SHELL MATERIALS
DH-NRS-1	100MM	100MM	20MM	Cat Eyes	ABS
DH-NRS-2	220MM	120MM	25MM	Cat Eyes	ABS
DH-RS-1			20MM	PC Prism	ABS
DH-RS-2	4000444	1001414	50MM	PC Prism	Aluminum
DH-RS-3	100MM	100MM	20MM	43 Glass Bead	ABS
DH-RS-4			50MM	43 Glass Bead	Aluminum

### Non-Reflective Road Stud



MODEL NO	DH- CRS-4	DH- CRS-6	DH- CRS-8
DIAMETER	100MM	150MM	200MM
HEIGHT	10MM	20MM	70MM
REFLECTOR	NO	NO	NO
WEIGHT	0.3Kg	1.5Kg	2.8Kg
COLOR	Yellow/\	White	





MODELNO	TRM-1	TRM-2	TRM-3			
LENGTH	100MM					
WIDTH	50MM					
HEIGHT	25MM					
WEIGHT	0.1Kg					
COLOR	Yellow- Yellow	White- White	White- Red			




### Solar Road Stud











DH-RS-11

DH-RS-5

DH-RS-9

DH-RS-27

DH-RS-10

Solar road studs are flashing solar cell powered LED maintenance-free lighting devices used in road construction to delineate road edges and centrelines. The intense brightness of the LEDs makes them easily visible at distances of about 800 under favourable conditions.

MODEL NO	MATERIALS OF SHELL	LENGTH	WIDTH	HEIGHT			LIGHT MODEL		WATERPROOF GRADE	LIFE	VISUAL DISTANCE	WORKING TIME	SCREW HOLE	WEIGHT	LOAD CAPACITY
DH-RS-5	Aluminum	115MM	100MM	22MM		70				>5 Years				400G	20Tons
DH-RS-9	Aluminum	105MM	125MM	75MM	1.2V					>5 Years				500G	20Tons
DH-RS-10	PC	110MM	87MM	24MM	NI-MH	6	Flash/ 3V Steady 90mA	nA lp>67	>3 Years	Over 800M	60 Hours	8MM x 2	200G	10Tons	
DH-RS-11	Aluminum	100MM	110MM	23MM	Battery		oloddy	John		>5 Years				300G	20Tons
DH-RS-27	PC	116MM	116MM	21MM						>3 Years				200G	10Tons













High Quality Reflector Reduce The Inpact

Better Adhesive





### Stiffer withstand wind But unbreakable when fold 180 Degree

Anti Glare Board protect the car driver extensively against glare emanating from light sources and therefore make a significant contribution to the safety of the car diver.


MODEL NO HEIGHT		WIDTH	THICKNESS	WEIGHT	COLOR
AGS-800	800MM	200MM	50MM	1.0Kg	Green
AGS-900	900MM	200MM	50MM	1.3Kg	Green





## Slow-Stop Paddle









72Inch Retractable Handle





- Our new stop/slow handle is designed for durability and ease of use. Heavy duty Aluminum tube and socket connectors with locking retractable system.
- Virgin .080 Aluminum in 18" & 24" sizes and various reflective and non-reflective sheetings.
- Expandable Handle Pole from 40" to 72" long.



**ABS Tread Scoket** 





## **Traffic Flag**



### Handle Flag

Flame and weather resistant: Dimension: 18"-24": Made of PVC Fabric: Hold with Long Wood Staff;



### Trailer Long Loaded Flag

Flag size: 280 x 280mm Ring size: Ø150mm unstretched Hi-Vis Orange **PVC Material.** 

**Elastic Shock Cord Ring!** 



Flags are Made of Fluorescent Orange Plastic: 45pcs 26x18cm flag each line: 30meter lenth Nylon Rope; Warning on construction site:



## **Barrier Fence Mesh**

Safety fence adopts PE as major raw material with UV added in manufactured through plasticizing. It is featured with high strength, ageing resistance, anti-corrosion, softness and portability, and recycle.

MODEL NO	HEIGHT	LENGTH	MESH SIZE	WEIGHT/SQ.M	WEIGHT
BR-114	1.0 Meter	50 Mates			4.0Kg
BR-124	1.2 Meter		100x40MM	120g	5.0Kg
BR-154	1.5 Meter	50 Meter		120g	6.0Kg
BR-184	1.8 Meter				7.2Kg





## **Convex Mirror**







**Backside Fixing Braket for Pole** 

**Backside Fixing Braket for Wall** 

This very versatile and robust mirror is ideal for most general traffic situations such as blind corners and intersections.

Mirror materials is PC, Base materials is ABS.

MODELNO	CM-20	CM-30	CM-45	CM-60-1	CM-80-1	CM-100	CM-120
DIAMETER	200MM	300MM	450MM	600MM	800MM	1000MM	1200MM


## **Plastic Chain**

Normally supplied in lengths of 50metres. Two colour chains have alternate colours approximately every 40cm. Other sizes and colours available on request. We offer a cutting service if required.









MODEL NO	DIAMETER	UNIT SIZE	LENGTH	WEIGHT/ROLL	COLOR
DH-PC-4	4MM	25x18MM	50Meter/Roll	2.0Kg	Red/White
DH-PC-6	6MM	41x21MM	50Meter/Roll	3.1Kg	Red/White
DH-PC-8	8MM	50x26MM	50Meter/Roll	5.5Kg	Red/White
DH-PC-10	10MM	54x39MM	25Meter/Roll	5.2Kg	Red/White



## **Cone Topper LED Light**





Solar Cone Light provide additional visibility to the driver, It include an internal solar panel on the top of the light, a cover to the top of the base containing various electrical components, and a light source mounted atop the cover within a diffusion lens to broaden the light source beam.





MODEL NO	HEIGHT	WIDTH	WEIGHT	LIGHT SOURCE	DRIVEMODE	APPLICATION
DH-TC-SL-2	180MM	100MM	0.5Kg	6 LED	Solar	4cm Topper Hole of Cone
DH-TC-SL-3	20MM	80MM	0.2Kg	4 LED	Solar	4cm Topper Hole of Cone
DH-BL-10	250MM	150MM	0.8Kg	4 LED	4R25 Battery	HDPE Cone Topper

## **LED Barricade Light**









MODEL NO	MATERIALS	TOTAL HEIGHT	LIGHT AREA SIZE	BATTERY	LED QTY	FUCTION	WORKING HOURS	VISUAL DISTANCE	APPLICATION
DH-HBBL-2	PP+PC	250MM	180MM	TWO D Battery	2	Flash Steady	600 Hours	800M	Water Filled Barrier
DH-HBBL-3	PP+PC	330MM	180MM	FOUR D Battery	2	Flash Steady	100 Hours	800M	Safety Drum
DH-HBBL-4	PP+PC	260MM	180MM	TWO 6V 4R25 Battery	2	Flash Steady	100 Hours	800M	Fence Barrier
DH-HBBL-5	PP+PC	310MM	180MM	One 6V 4R25 Battery	2	Flash Steady	50 Hours	800M	Delineator Panel



## Caution Tape Danger Tape Stripe Tape







- Caution Tape are a quick & effective way to create a visual fortress around temporary hazards.
- This lightweight tape can be tied, stapled or nailed to posts, fences or barricades.
- Ideal for outdoor or indoor application such as crowd and traffic control.
- Available in 50mm, 75mm and 100mm Width Each Roll.
















Permanent marking tape are embedded micro glass beads both on surface, has a durable, reflective & skidproof effect. Designed to stripe asphalt parking lots, roads, bike paths and any other area where the road will subject to heavy traffic flow and high visibility delineation is needed.







A quick, easy and inexpensive way to mark aisles and physical hazards. This highly visible, pressuresensitive vinyl tape is self-wound with a permanent adhesive, and is protected with an adrasion resistant clear laminate that resists oil, dirt and chemicals.



+961 3737 759 / www.kprojects-me.com / sales@kprojects-me.com

## **Traffic Batton**



MODEL NO	MATERIALS	LENGTH	DIAMETER	DRIVE MODEL	LED QTY	FLASH	STEADY	TOP LIGHT	WHISTLE	MAGNET	RECHAR GEABLE	EXPAN DABLE	UNBREA KABLE	SLING	IRON BUCKLE
DH-LTB-33-50AA	PC	330/500MM	30MM	AAA Battery	7	√	<b>√</b>	<b>√</b>	√	√	WAS SHAYSHIST TOWN	<b>V</b>	<b>√</b>	<b>√</b>	<b>√</b>
DH-LTB-233R	ABS+PP	365MM	40MM	AA Battery	5	<b>√</b>	<b>V</b>	<b>V</b>		<b>√</b>				<b>V</b>	<b>V</b>
DH-LTB-250R	ABS+AS	280MM	30MM	AAA Battery	10	<b>√</b>	$\checkmark$	<b>√</b>		√					
DH-LTB-260R	ABS+PC	260MM	40MM	AA Battery	19	<b>√</b>	<b>√</b>	<b>√</b>		<b>√</b>			<b>√</b>	<b>V</b>	<b>V</b>
DH-LTB-260R-AA	ABS+PC	300MM	40MM	AA Battery	19	<b>√</b>	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>			√	<b>√</b>	<b>√</b>
DH-LTB-273	ABS+PC	270MM	30MM	AA Battery	11	<b>√</b>	√	<b>√</b>		<b>√</b>			✓	<b>V</b>	<b>V</b>
DH-LTB-293	ABS+PC	290MM	30MM	AA Battery	6	<b>√</b>	<b>√</b>	<b>V</b>	<b>V</b>	<b>√</b>	√		√		
DH-LTB-395	PC	400MM	40MM	AA Battery	15	V	<b>√</b>	<b>V</b>	<b>V</b>				✓		
DH-LTB-700	ABS+PVC	520MM	30MM	C Battery	6	<b>√</b>	<b>√</b>								
DH-LTB-700R-1	ABS+PVC	520MM	30MM	C Battery	7	<b>√</b>	<b>V</b>	<b>V</b>						<b>V</b>	<b>V</b>
DH-LTB-700R-AA	ABS+PVC	555MM	30MM	C Battery	6	√	<b>V</b>		<b>√</b>					V	<b>√</b>
DH-LTB-900	ABS+PVC	540MM	40MM	D Battery	6	V	<b>√</b>							<b>V</b>	<b>√</b>
DH-LTB-M9002R-AA	ABS+PVC	540MM	40MM	AA Battery	7	<b>V</b>	<b>V</b>	V	<b>√</b>	<b>√</b>				V	V
DH-LTB-M9002R-AA-RE	ABS+PVC	540MM	40MM	AA Battery	7	<b>√</b>	V	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>			<b>V</b>	V

